Commonwealth of Virginia
Department of Professional and Occupational Regulation
9960 Mayland Drive, Suite 400
Richmond, Virginia 23233-1485
(804) 367-8595
www.dpor.virginia.gov



Virginia Board for Asbestos, Lead and Home Inspectors ASBESTOS ANALYTICAL LABORATORY - BRANCH OFFICE APPLICATION Fee \$100.00

A check or money order payable to the <u>TREASURER OF VIRGINIA</u>, or a completed <u>credit card insert</u> must be mailed with your application package.

APPLICATION FEES ARE NOT REFUNDABLE.

1.	Branch Office	Name									
2.	Branch Office'	s Firm/Sole Pr	oprietor Name	e							
3.	Branch Office' Virginia Lice	s Firm/Sole Pronse Number	oprietor Licen	se Num	nber:				Expiration D	ate	
4.	Mailing Addre	Address Informations (PO Box accession and address address)		City						State	Zip Code
•	Street Address PHYSICA	S (PO Box <u>not</u> L ADDRESS RE C	. ,		Check h	ere if S	reet Addre	ss is th	e <u>same</u> as the Maili	ng Address listed abo	/e.
				City						State	Zip Code
5.	Branch Office - Contact Numbers Primary Telephone Alternate Telephone Fax							Fax			
6.	Branch Office	- Email Addres		ail addres	s is con	nsidere	d a public	record	d and will be discl	osed upon request	from a third party.
7.	who shall be	•	or ensuring t	he firm'	s con		,		•	ate a Responsi regulations of t	
		sible individual r nip, the sole prop						er, or p	principal of the f	irm. If the laborat	ory/firm is a sole
In	Individual's Full Legal Name Mailing			Address		Title		Telephone Number	Social Security No. VA DMV Control No.		
	e law requires every monwealth to provid									e, profession or occup	ation issued by the
OFFICE USE ONLY	DATE	FEE	TRANS CODE 1020		ENTITY#		333	4	FILE #/LICENSE #	ŧ	ISSUE DATE

- Select the type of analysis to be performed by the laboratory: (Check all that apply) Polarized Light Microscopy (PLM) - Provide documentation of one of the following: A. Current Asbestos Fiber Analysis Program of the National Institute of Standards and Technology National Voluntary Lab Accreditation Program (NVLAP) accreditation demonstrated by submittal of a copy of the Certificate of Accreditation, and Scope of Accreditation; or B. The asbestos analytical laboratory is rated "proficient" in the Bulk Asbestos Proficiency Analytical Testing Program of the AIHA Proficiency Analytical Testing Programs (BAPAT); or C. The laboratory is accredited under the Industrial Hygiene Laboratory Accreditation Program of the AIHA Laboratory Accreditation programs (IHLAP). Phase Contrast Microscopy performed at a fixed laboratory site (PCM - Fixed Site) - Provide documentation that each analyst has completed NIOSH 582 or NIOSH 582 Equivalency course, plus one of the following: A. The asbestos analytical laboratory is accredited under the IHLAP; or B. That the laboratory is rated "proficient" in the Industrial Hygiene Proficiency Analytical Testing Program of the AIHA Proficiency Analytical Testing Programs, LLC (IHPAT); or C. Each analyst is listed in the Asbestos Analyst Registry Program (AAR) and has a performance rating of "acceptable" for the most recent Asbestos Analyst Testing (AAT) round. Phase Contrast Microscopy performed through onsite analysis (PCM - Onsite) - Provide documentation that each analyst has completed NIOSH 582 or NIOSH 582 Equivalency course, plus one of the following: A. The laboratory is rated "proficient" in the IHPAT Program; or B. The laboratory is accredited under the IHLAP; or C. Each analyst is listed in the AAR and has a performance rating of "acceptable" for the most recent AAT round. Transmission Electron Microscopy (TEM) - Provide documentation of a current accreditation by NVLAP to analyze asbestos airborne fibers using TEM to include a copy of the NVLAP Certificate of Accreditation, and Scope of Accreditation.
 - 9. By signing this application, I certify the following statements:
 - I am aware that submitting false information or omitting pertinent or material information in connection with this application will delay processing and may lead to license revocation or denial of license.
 - I will notify the Board of any changes to the information provided in this application prior to receiving the requested license, certification, or registration including, but not limited to any disciplinary action or conviction of a felony or misdemeanor (in any jurisdiction).
 - I authorize the Department to verify information concerning me or any statement in this application from any
 person, or any source the department may desire. I also agree to present any credentials or documents
 required or requested by the Department.
 - I authorize any federal, state or local government agency, current or former employer, or other individual or business to release information which may be required for a background investigation.
 - I have read, understand and complied with all the laws of Virginia related to this profession under the provisions of Title 54.1, Chapter 5, of the Code of Virginia and the Virginia Board for Asbestos, Lead and Home Inspectors; Virginia Asbestos Licensing Regulations.

Print Name	Title		
Signature		Date	

> All applicants are required to have all the occupational or professional licenses and certifications necessary and required by state statute or local ordinance to transact the business of an asbestos analytical laboratory in addition to the requirements set forth in the Virginia Asbestos Licensing Regulations.